



NOTES:

1. THIS DESIGN FOR ANCHORAGE TO EXISTING STRUCTURE ONLY. BUILDING DESIGNER TO VERIFY ADEQUACY OF STRUCTURE TO RESIST ADDITIONAL CANOPY LOADING. CANOPY ENGINEER NOT RESPONSIBLE FOR THE EXISTING STRUCTURE.
2. ALL BOLTS, NUTS, WASHERS, EYEBOLTS, EXPANSION BOLTS, PLATES, ETC. TO BE GALVANIZED STEEL

GROUT FILLED CMU WALL BY OTHERS

1/2"Ø THREADED ROD

3"X3" PLATE WASHER (TYP.)

R576/577, R573, R578 DECKING OPTIONS

#12-24 x 1 1/4" SELF-TAPPING SCREWS EA. DECK PIECE TO EA. BEAM LIP (TYP.)

DRAIN BEAM

R524 GUTTER/FASCIA (TYP.)

(2) #12-24 x 1 1/4" SELF-TAPPING SCREWS PER R578 PANEL (TYP.)

B/DRAIN BEAM EL. ARCH TO VERIFY

#14 DAGGERZ EA. SIDE OF COLUMN (TYP.)

PROVIDE DRAIN HOLES @ DRAINAGE COLUMN

ALUM. COLUMN, COPE @ DRAIN BEAM

CONNECTION OF COLUMN TO NEW/EXISTING FOOTING

NEW / EXIST. CONCRETE